

Test Report

No.: 64.190.24.3110.01-00

Dated: 2024-11-06



Applicant: Grupo Prisma Pro
Address: Camí Vereda, 25, 46469 Beniparrell, València, Spain
Sample Submission: The sample was submitted by applicant and identified.
Product Name: Aluminum Alloy Barrier 铝合金护栏
Order No.: /
Identification/Style No.: VKSB
Manufacturer: Grupo Prisma Pro
Country of Origin: /
Buyer: /
Export to: /
Receipt Date of Sample: 2024-10-30
Date of Testing: From 2024-10-30 to 2020-11-06
Test Result: Refer to the data listed in following pages

Test Specification(s) or Test Item(s):

1. Loading test according to client's requirements

Conclusions:

See Test Results

Hardline Laboratory

TÜV SÜD Certification and Testing (China) Co., Ltd. Guangzhou Branch

Tested By: Leon Huang

Leon Huang
Test Engineer

Reviewed By: Pein Xu

Pein Xu
Designated Reviewer



Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.
Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production. For further details please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3.
For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
(2) The results relate only to the Items tested.
(3) The test report shall not be reproduced except in full, without the written approval of the laboratory.

Laboratory:
Building D1, No.63, Chuangqi Road, Shilou,
Panyu District, Guangzhou, Guangdong,
China 511447

Telephone : +86 20 3832 0668
Telefax : +86 20 3832 0478
<https://www.tuvsud.com>


Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Guangzhou Branch 5F, Communication Building, 163
Pingyun Rd, Huangpu West Ave. Guangzhou
510656P.R. China

Page 1 of 3

Description of the test subject:


1	Product Description	Aluminum Alloy Barrier 铝合金护栏	
2	Dimensions	Overall Dimension:	L1200mm x W1000mm x H1200mm
		Weight (kg):	22.6

Sample photo(s)



Test Results**1. Loading test according to client's requirements**

Test item	Requirement ~ Test	Measuring result ~ Remark	Verdict
Tensile test	A suitable clamp is used to fixed the product firmly to the test machine; Apply a tensile force of 6000N to the product. Start the test machine with the rate of 100 mm per minute; Observe the product damage or not during and after test.	No visible damage was found during and after the test.	/

Testing photo(s):**Remark:**

1. The test results exclusively based on the submitted sample.
2. Specific requirement of test report as per clause 7.8.3 of CNAS-CL01-2018 or other accreditation scheme, such as: remark of subcontract information or on-site testing information.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties.

Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.

By taking measurement uncertainties into account it might happen that measured values can neither be assessed as PASS nor as FAIL.

-End of Test Report-